

OS Series

Silent air compressor range

Air. Anytime. Anywhere.



ABAC. Air. Anytime. Anywhere

We are a leading compressed air solutions company, providing the best compressors, tools and air distribution systems to fulfil even your most demanding needs.

Committed to quality, reliability and simplicity, we want to make your life easier with solutions that you can trust and rely upon every day.

From oil-injected screws to mobile piston compressors, from professional inflating guns to a full range of impact wrenches: ABAC is the perfect partner to help you achieve your goal, be it boosting your business or fulfiling a hobbyist dream.

Millions of professionals worldwide have chosen us to get the job done. Join the ABAC experience.

Easy maintenance

Oil-free and direct-driven, the OS series requires limited maintenance. Less time for servicing, more time to work.

Safety

The enclosed design of the pump protects your hands from hot and moving parts, allowing you to work without worries.

Silence and Compactness

Save space around you with a silent, compact yet powerful air compressor with an air displacement up to 230 l/min.

Plug and Play

Easily reach the on-off button directly on the pump for simple startup.



Versatility

OS series delivers up to 9 bar of pressure allowing you to use more tools, specialized tools.

Join the silent revolution

In our modern world, we are constantly surrounded by noise. In the streets, in the workshop, even in our home silence is a precious gift that we try (and often fail) to find. And despite our search for quietness, we are usually forced to live and work next to noisy machinery that make our lives harder, the air compressor being one of the main causes of a loud and uncomfortable room.

This is why ABAC has designed the new OS series: to give you the peace and comfort that you deserve in your working environment without compromising on performances. Be it for irregular use, or as the main tool of your business, ABAC OS will silently help you in all your activities and it will do it without making your life harder. With a noise level of 59 db(A), it's comparable with the loudness of a relaxed conversation between friends, to the

point that you will not be able to revert back to a standard, noisy compressor.

However, silence is not the only advantage of the OS range. Under the uniquely designed enclosed pump, beats a powerful heart: the direct-driven element can reach up to 9 bar of pressure, allowing you to use specialized tools that require higher pressure than most common, compact air compressors can deli-

The fact that the OS is oil-free and direct-driven it is just an additional benefit, as you can have all these advantages without the hassle of frequent maintenance: say good-bye to dirty hands and floors at every oil change, or having to replace the belt of you compressor every few months. The OS range will deliver clean, constant air for hundreds of hours without the need of any intervention.



The sound of silence

Enjoy working in a quiet environment thanks to the low noise level of the OS range, your silent business partner.



Many models, same excellent quality

From 0,75 to 2 HP, from 6 to 50 lt for a wide range of combinations. Many variation for a common word: excellence.



Safe and comfortable

The new compact, innovative enclosed pump provides safety without affecting usability, with a quick access to the on-off button, manometer and pressure switch.



Less space, more air

A small compressor that outweighs the competition with up to 9 bar of pressure without required additional space in your workshop.



START SILENT

SUPER SILENT

Compact and silence air compressor.

Comfort

Light-weight. Easy to carry wherever you need it



Stability

Reduced vibrations and noise thanks to rubber feet



Applications



Inflating



Blowing



Spray



Hobby painting



Nailing and stapling



User-friendly and clear pressure gauges























									,	_			_	_
Model	Part number	EAN code	L	l/min	cfm	HP	kW	rpm	Volt	Bar	SPL dB(A)	LwA dB(A)	LxPxA (mm)	kg
START SILENT OS7P	1129740290	8020119152621	6	140	4,9	0,75	0,56	1420	230/50/1	8	63	83	363x279x521	17
START SILENT OS10P	1129740325	8020119152638	6	165	5,8	1	0,75	1420	230/50/1	8	63	83	363x279x521	17
START SILENT OS15P	1129740291	8020119152645	6	195	6,9	1,5	1,1	1420	230/50/1	8	65	85	363x279x521	19
START SILENT OS20P	1129740292	8020119152652	6	230	8,1	2	1,5	1420	230/50/1	8	65	85	363x279x521	19
START SILENT OS7P UK	1129740326	8020119152669	6	140	4,9	0,75	0,56	1420	230/50/1	8	63	83	363x279x521	17
START SILENT OS10P UK	1129740327	8020119152676	6	165	5,8	1	0,75	1420	230/50/1	8	63	83	363x279x521	17
START SILENT OS15P UK	1129740328	8020119152683	6	195	6,9	1,5	1,1	1420	230/50/1	8	65	85	363x279x521	19
START SILENT OS20P UK	1129740329	8020119152690	6	230	8,1	2	1,5	1420	230/50/1	8	65	85	363x279x521	19



SILVERSTONE



Particular requirements need special configurations.

Tidy workspace

Double hook to keep cables in place



Comfort

Ergonomic handle for extra user comfort





Applications



Washing



Nailing and stapling



Professional washing



Blowing



Impact wrenching



With dashboard























Model	Part number	EAN code	L	l/min	cfm	HP	kW	rpm	Volt	Bar	SPL dB(A)	LwA dB(A)	LxPxA (mm)	kg
SILVERSTONE OS7P	1129740293	8020119152706	10	140	4,9	0,75	0,56	1420	230/50/1	9	63	83	398x332x627	22
SILVERSTONE OS15P	1129740330	8020119152713	10	195	6,9	1,5	0,75	1420	230/50/1	9	65	85	398x332x627	24
SILVERSTONE OS20P	1129740295	8020119152720	10	230	8,1	2	1,1	1420	230/50/1	9	65	85	398x332x627	24
SILVERSTONE OS7P UK	1129740331	8020119152737	10	140	4,9	0,75	0,56	1420	230/50/1	9	63	83	398x332x627	22
SILVERSTONE OS10P UK	1129740332	8020119152744	10	165	5,8	1	0,75	1420	230/50/1	9	63	83	398x332x627	22
SILVERSTONE OS15P UK	1129740333	8020119152751	10	195	6,9	1,5	1,1	1420	230/50/1	9	65	85	398x332x627	24
SILVERSTONE OS20P UK	1129740334	8020119152768	10	230	8,1	2	1,5	1420	230/50/1	9	65	85	398x332x627	24



HOCKENHEIM

SUPER SILENT

A new range for multi-applications.



Applications



Washing



Nailing and stapling



Professional



Blowing



Impact wrenching



With dashboard

Easy to moveIncluding wheels to easily transport your compressor























Model	Part number	EAN code	L	l/min	cfm	HP	kW	rpm	Volt	Bar	SPL dB(A)	LwA dB(A)	LxPxA (mm)	kg
HOCKENHEIM OS15P	1129740335	8020119152775	20	195	6,9	1,5	1,1	1420	230/50/1	9	65	85	479x385x793	33
HOCKENHEIM OS20P	1129740336	8020119152782	20	230	8,1	2	1,5	1420	230/50/1	9	65	85	479x385x793	33
HOCKENHEIM OS15P UK	1129740337	8020119152799	20	195	6,9	1,5	1,1	1420	230/50/1	9	65	85	479x385x793	33
HOCKENHEIM OS20P UK	1129740338	8020119152805	20	230	8,1	2	1,5	1420	230/50/1	9	65	85	479x385x793	33



POLE POSTION



High performance with a pump oilless.

Easy maintenance

Oil-free and direct-driven, the OS series requires limited maintenance.

Less time for servicing, more time to work.

Safety

The enclosed design of the pump protects your hands from hot and moving parts, allowing you to work without worries.



Plug and Play

OS compressors are plug and play, only requirement is single phase electrical supply and turn on compressor.



Applications



Washing



Nailing and stapling



Professional



Blowing



Impact wrenching



Many models, same excellent quality





















Model	Part number	EAN code	L	l/min	cfm	HP	kW	rpm	Volt	Bar	SPL dB(A)	LwA dB(A)	LxPxA (mm)	kg
POLE POSITION OS15P	1129740296	8020119152812	24	195	6,9	1,5	1,1	1420	230/50/1	9	65	85	616x300x574	24
POLE POSITION OS20P	1129740297	8020119152829	24	230	8,1	2	1,5	1420	230/50/1	9	65	85	616x300x574	24
POLE POSITION OS10P UK	1129740339	8020119152836	24	165	5,8	1	0,75	1420	230/50/1	9	63	83	616x300x574	22
POLE POSITION OS15P UK	1129740340	8020119152843	24	195	6,9	1,5	1,1	1420	230/50/1	9	65	85	616x300x574	24
POLE POSITION OS20P UK	1129740341	8020119152850	24	230	8,1	2	1,5	1420	230/50/1	9	65	85	616x300x574	24



MONTECARLO 50



Performing tasks has never been this simple.

Innovative design Enclosed pump to reduce noise and improve safety User-friendly



Easy to move Including wheels to easily transport your compressor



Applications



Washing



Nailing and stapling



Professional



Blowing

Impact wrenching



MONTECARLO OS20P 2 hp, 50 litres, oil-free



















Model	Part number	EAN code	L	l/min	cfm	HP	kW	rpm	Volt	Bar	SPL dB(A)	LwA dB(A)	LxPxA (mm)	kg
MONTECARLO OS15P	1129740298	8020119152867	50	195	6,9	1,5	1,1	1420	230/50/1	9	65	85	806x385x609	32
MONTECARLO OS20P	1129740299	8020119152874	50	230	8,1	2	1,5	1420	230/50/1	9	65	85	806x385x609	32
MONTECARLO OS15P UK	1129740342	8020119152881	50	195	6,9	1,5	1,1	1420	230/50/1	9	65	85	806x385x609	32
MONTECARLO OS20P UK	1129740343	8020119152898	50	230	8,1	2	1,5	1420	230/50/1	9	65	85	806x385x609	32




PORTABLE ROLLCAGE



More specific needs require more specific configurations.



strong bumpers







PORTABLE ROLLCAGE OS15P 1.5 hp, 9 litres, oil-free





















Model	Part number	EAN code	L	l/min	cfm	HP	kW	rpm	Volt	Bar	SPL dB(A)	LwA dB(A)	LxPxA (mm)	kg
PORTABLE ROLLCAGE OS15P	1129740344	8020119152904	9	195	6,9	1,5	1,1	1420	230/50/1	9	65	85	497x480x477	34
PORTABLE ROLLCAGE OS20P	1129740300	8020119152911	9	230	8,1	2	1,5	1420	230/50/1	9	65	85	497x480x477	34
PORTABLE ROLLCAGE OS20P UK	1129740345	8020119152928	9	230	8,1	2	1,5	1420	230/50/1	9	65	85	497x480x477	34




GO CART

Performing tasks has never been this simple.



bumpers



Blowing

Impact wrenching



GO CART OS20P 2 hp, 15 litres, oil-free



Model Part number EAN code L I/min cfm HP kW rpm Volt Bar SPL Lw/dB(A) dB(A)		kg
	4)	
GO CART OS15P 1129740613 8020119158227 15 195 6,9 1,5 1,1 1420 230/50/1 9 65 85	573x620x873	41
GO CART OS20P 1129740614 8020119158234 15 230 8,1 2 1,5 1430 230/50/1 9 65 85	573x620x873	41



START ROLLCAGE

Performing tasks has never been this simple.







Nailing and stapling



Professional



Blowing



Impact wrenching



Easy to move Including wheels to easily transport your compressor



START ROLLCAGE OS20P 2 hp, 6 litres, oil-free





















Model	Part number	EAN code	L	l/min	cfm	HP	kW	rpm	Volt	Bar	SPL dB(A)	LwA dB(A)	LxPxA (mm)	kg
START ROLLCAGE OS15P	1129740615		6	195	6,9	1,5	1,1	1420	230/50/1	9	65	85	335x415x352	24
START ROLLCAGE OS20P	1129740616		6	230	8,1	2	1,5	1430	230/50/1	9	65	85	335x415x352	24



TROLLEY

Performing tasks has never been this simple.





Applications



Washing



Nailing and stapling



Professional



Blowing



Impact wrenching



Easy to move Including wheels to easily transport your compressor



TROLLEY OS15P 1.5 hp, 15 litres, oil-free





















Model	Part number	EAN code	L	l/min	cfm	HP	kW	rpm	Volt	Bar	SPL dB(A)	LwA dB(A)	LxPxA (mm)	kg
TROLLEY OS15P	1129740617		15	195	6,9	1,5	1,1	1420	230/50/1	9	65	85	828x499x415	40
TROLLEY OS20P	1129740618		15	230	8,1	2	1,5	1430	230/50/1	9	65	85	828x499x415	40



Notes	



ABAC Air Compressors S.P.A.
VIA CRISTOFORO COLOMBO, 3 – 10070 ROBASSOMERO (TO) ITALY
TEL. +39 011 9246415-421
WWW.ABACAIRCOMPRESSORS.COM

©ABAC 2020

GABAC 2020

THE CONTENTS OF THIS PUBLICATION ARE THE COPYRIGHT OF THE PUBLISHER AND MAY NOT BE REPRODUCED (EVEN EXTRACTS)
UNLESS PRIOR WRITTEN PERMISSION IS GRANTED. EVERY CARE HAS BEEN TAKEN TO ENSURE THE ACCURACY OF THE INFORMATION CONTAINED IN THIS PUBLICATION BUT NO LIABILITY CAN BE ACCEPTED FOR ANY LOSS OR DAMAGE WHETHER DIRECT,
INDIRECT OR CONSEQUENTIAL ARISING OUT OF THE USE OF THE INFORMATION CONTAINED HEREIN.

